

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : AJIT SINGH DAULAT SINGH File. No. : AAL02-354102

DOB/Gender : 23-07-1991 (33 Yrs 4 Month 4 Days/Male)

: Dr. Humaira Mumtaz

: 22243320013

Referral Doctor

Lab No.

Referral Clinic

: Citicare Medical Center LLC

Request Date : 27-11-2024 10:12:28

Clinic File No : 38078

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	>200.0 <sup>H</sup>	AU/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA

Positive: > 12

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 26-11-2024 13:00:00 Received On: 27-11-2024 10:24:00

Authenticated On: 27-11-2024 15:30:19

Released On: 27-11-2024 17:10:12

**Padmapriya** Kumareshan Sr. Technician

DHA-P-2992011

