



Laboratory Investigation Report

Name : Ms. ELIAMANI REHEMA GACHOCHA

DOB : 05/05/1991 Age / Gender : 33 Y / Female

Referred by : CITICARE MEDICAL CENTER
Centre : CITICARE MEDICAL CENTER

Ref No. : 45098

Sample No. : 2412508583

Collected : 03/12/2024 15:40 **Registered** : 03/12/2024 22:11

Reported : 03/12/2024 23:36

ENDOCRINOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
BETA HCG					
BETA HCG	2669		mIU/mL	Refer to Interpretation for Reference Range: Source: Roche IFU.	ECLIA

INTERPRETATION NOTES:

Non-Pregnant:< or =5.0 Post-Menopausal: < or =7.0

Reference Range According to Weeks of gestation

Gestational Week	Referer	Reference Range				
3 weeks	5.8	-	71.2			
4 weeks	9.5	-	750			
5 weeks	217	-	7138			
6 weeks	158	-	31795			
7 weeks	3697	-	163563			
8 weeks	32065	-	149571			
9 weeks	63803	-	151410			
10 weeks	46509	-	186977			
12 weeks	27832	-	210612			
14 weeks	13950	-	62530			
15 weeks	12039	-	70791			
16 - 29 weeks	1400	-	53000			
29 - 41 weeks	940	-	6000			

High levels may be indicative of a number of conflicting situations, including everything from a normal pregnancy to ovarian cancer to choriocarcinoma of the uterus or hydatidiform mole of the uterus. Low levels may be indicative of a dead fetus, incomplete miscarriage, or threatened spontaneous abortion.

The measured value of a patient's sample can vary depending on the testing procedure used. If there is a change in the assay procedure used while monitoring therapy, then the values obtained upon changing over to the new procedure must be confirmed by parallel measurements with both methods.

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

P.O Box: 49527

Page 1 of 1

Tel: +971 4 398 8567

HALEEM HAKKIM Laboratory Technician Printed on: 03/12/2024 23:39

Q aleem

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE





reports@biosytech.ae www.biosytech.com