

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SOUKAINA BENRAQQOUCH File. No. : AAL02-395481

DOB/Gender : 23-12-1992 (32 Yrs 14 Days/Female)

: Dr. Enomen Goodluck Ekata

Referral Doctor

Lab No.

: 22243570137

Referral Clinic

: Citicare Medical Center LLC

Request Date : 22-12-2024 15:46:36

Clinic File No : 30914

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	87.0 ^H	AU/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA

Positive: > 12

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 21-12-2024 12:11:00

Released On: 23-12-2024 16:01:39 Authenticated On: 23-12-2024 15:39:58

Received On: 22-12-2024 15:47:00

Padmapriya Kumareshan

Sr. Technician DHA-P-2992011



MEDSOL-RPT-2.3(1/19)