



### **Laboratory Investigation Report**

Ms. PROVIAS ATUHARIE Ref No. 45315

**DOB** 01/09/1996 Sample No. 2412517212 Age / Gender 28 Y / Female **Collected** 23/12/2024 21:00 Referred by DR HUMAIRA Registered 24/12/2024 15:56

CITICARE MEDICAL CENTER Reported 24/12/2024 17:27 Centre

### **BIOCHEMISTRY**

Result Unit Test Flag **Reference Range** Methodology **C-REACTIVE PROTEIN (CRP)** 21.4 < 5.0 Particle-enhanced CH mg/L immunoturbidimetric assay

Please note change.

Source: Roche IFU.

#### **INTERPRETATION NOTES:**

Name

- 1. CRP measurements are used as aid in diagnosis, monitoring, prognosis, and management of suspected inflammatory disorders and associated diseases, acute infections and tissue injury.
- C-reactive protein is the classic acute phase protein in inflammatory reactions.
- 3. CRP is the most sensitive of the acute phase reactants and its concentration increases rapidly during inflammatory processes. The CRP response frequently precedes clinical symptoms, including fever. After onset of an acute phase response, the serum CRP concentration rises rapidly and extensively. The increase begins within 6 to 12 hours and the peak value is reached within 24 to 48 hours. Levels above 100 mg/L are associated with severe stimuli such as major trauma and severe infection (sepsis).
- 4. CRP response may be less pronounced in patients suffering from liver disease.
- 5. CRP assays are used to detect systemic inflammatory processes (apart from certain types of inflammation such as systemic lupus erythematosus (SLE) and Colitis ulcerosa); to assess treatment of bacterial infections with antibiotics; to detect intrauterine infections with concomitant premature amniorrhexis; to differentiate between active and inactive forms of disease with concurrent infection, e.g. in patients suffering from SLE or Colitis ulcerosa; to therapeutically monitor rheumatic disease and assess anti-inflammatory therapy; to determine the presence of post-operative complications at an early stage, such as infected wounds, thrombosis and pneumonia, and to distinguish between infection and bone marrow transplant rejection.

Serum Sample Type:

End of Report

Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist** 

This is an electronically authenticated report

P.O Box: 49527

Dr. Vyoma V Shah M.D (Pathology) **Clinical Pathologist** 

Page 1 of 5

Tel: +971 4 398 8567

**HALEEM HAKKIM** Laboratory Technician Printed on: 24/12/2024 17:30

Q aleem

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE





reports@biosytech.ae www.biosytech.com





45315

## **Laboratory Investigation Report**

Name : Ms. PROVIAS ATUHARIE Ref No.

DOB 01/09/1996 Sample No. 2412517212 Age / Gender 28 Y / Female **Collected** 23/12/2024 21:00 Referred by DR HUMAIRA Registered 24/12/2024 15:56 CITICARE MEDICAL CENTER Centre Reported 24/12/2024 16:12

### **CLINICAL PATHOLOGY**

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS ( ROUTINE)					
COLOR	Yellow			Pale to Dark Yellow	Photometry
APPEARANCE	Clear			-	Turbidimetry
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.017			1.002 - 1.035	Refractometry
PH	7			5 - 9	Litmus paper
GLUCOSE	Negative			Negative	GOD / POD
BLOOD	+++			Negative	Peroxidase
PROTEIN	Negative			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	Negative			Negative	Esterase
UROBILINOGEN	Negative			Negative	Diazonium Salt
BILIRUBIN	Negative			Negative	Diazonium Salt
KETONE	Negative			Negative	Legal's test
NITRITE	Negative			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	1-4		/HPF	1 - 4	Microscopy
ERYTHROCYTES	5-10	Н	/HPF	0 - 2	Microscopy
SQUAMOUS EPITHELIAL CELLS	0-1		/HPF	< 20	Microscopy
NON-SQUAMOUS EPITHELIAL CELLS	-		/HPF	Variable	Microscopy
BACTERIA	-		/HPF	Absent	Microscopy
CASTS	-		/HPF	Absent	Microscopy
HYALINE CAST	-		/HPF	Absent	Microscopy
FINE GRANULAR CAST	-		/HPF	Absent	Microscopy
COARSE GRANUALR CAST	-		/HPF	Absent	Microscopy
WAXY CAST			/HPF	Absent	Microscopy
FATTY CAST	-		/HPF	Absent	Microscopy
RBC CAST	-		/HPF	Absent	Microscopy
WBC CAST	-		/HPF	Absent	Microscopy
BACTERIAL CAST	-		/HPF	Absent	Microscopy
EPITHELIAL CAST	-		/HPF	Absent	Microscopy
CRYSTALS	-		/HPF	Absent	Microscopy

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report Page 2 of 5

Jillian Joy Garcia

Laboratory Technologist
Printed on: 24/12/2024 17:30

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





45315

# **Laboratory Investigation Report**

Name Ms. PROVIAS ATUHARIE Ref No.

DOB 01/09/1996 Sample No. 2412517212 Age / Gender 28 Y / Female **Collected** 23/12/2024 21:00 Referred by DR HUMAIRA Registered 24/12/2024 15:56 CITICARE MEDICAL CENTER Centre Reported 24/12/2024 16:12

### **CLINICAL PATHOLOGY**

Test	Result	Flag	Unit	Reference Range	Methodology
CALCIUM OXALATE	-		/HPF	Absent	Microscopy
CALCIUM CARBONATE	-		/HPF	Absent	Microscopy
CALCIUM PHOSPHATE	-		/HPF	Absent	Microscopy
TRIPLE PHOSPHATE	-		/HPF	Absent	Microscopy
URIC ACID CRYSTAL	-		/HPF	Absent	Microscopy
AMMONIUM BIURATE	-		/HPF	Absent	Microscopy
AMORPHOUS URATES	- /		/HPF	Absent	Microscopy
AMORPHOUS PHOSPHATES	-		/HPF	Absent	Microscopy
CYSTINE	-		/HPF	Absent	Microscopy
LEUCINE	-		/HPF	Absent	Microscopy
TYROSINE	-		/HPF	Absent	Microscopy
DRUG CRYSTAL	- 20		/HPF	Absent	Microscopy
MUCUS THREADS	Present		/HPF	Absent	Microscopy
BUDDING YEAST CELLS	-		/HPF	Absent	Microscopy
НҮРНАЕ			/HPF	Absent	Microscopy
OVA	-		/HPF	Absent	Microscopy
CYST	-		/HPF	Absent	Microscopy
PARASITE	-		/HPF	Absent	Microscopy
ARTIFACTS	-		/HPF	Absent	Microscopy

Comments: Please correlate clinically.

### **INTERPRETATION NOTES:**

Please note change in method (Roche Cobas U6500).

Note: "-" means Absent

URINE Sample Type:

End of Report

**Dr. Adley Mark Fernandes** Dr. Vyoma V Shah M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist** 

This is an electronically authenticated report

P.O Box: 49527


Page 3 of 5

Tel: +971 4 398 8567



Jillian Joy Garcia **Laboratory Technologist** 

Printed on: 24/12/2024 17:30



Dubai, UAE







# **Laboratory Investigation Report**

Name Ms. PROVIAS ATUHARIE

DOB 01/09/1996 Age / Gender 28 Y / Female Referred by DR HUMAIRA

Test

CITICARE MEDICAL CENTER Centre

Result

Ref No. 45315

Sample No. 2412517212

Collected 23/12/2024 21:00 Registered

Reported 24/12/2024 16:24

Methodology

24/12/2024 15:56

HEN	MATOLOGY
lag	Unit

**Reference Range** 

rest	Result	Flag	Unit	Reference Range	ivietnodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	11.2	L	g/dL	12 - 15.5	Photometric
RBC COUNT	3.9		10^6/μL	3.9 - 5	Electrical Impedance
HEMATOCRIT	32.9	L	%	35 - 45	Calculation
MCV	84.8		fL	82 - 98	Calculation
МСН	28.9		pg	27 - 32	Calculation
мснс	34.1		g/dL	32 - 37	Calculation
RDW	15		%	11.9 - 15.5	Calculation
RDW-SD	44.6		fL		Calculation
MPV	9.6		fL	7.6 - 10.8	Calculation
PLATELET COUNT	255		10^3/uL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	16.9		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC)^	0.7		/100 WBC		VCS 360 Technology
ABSOLUTE NRBC COUNT^	0.05		10^3/uL		Calculation
EARLY GRANULOCYTE COUNT (EGC)^	0.5		%		VCS 360 Technology
ABSOLUTE EGC^	0		10^3/uL		Calculation
WBC COUNT	6.8		10^3/μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	67		%	40 - 75	VCS 360 Technology
LYMPHOCYTES	25	L	%	30 - 60	VCS 360 Technology
EOSINOPHILS	2		%	0 - 6	VCS 360 Technology
MONOCYTES	6		%	1 - 6	VCS 360 Technology
BASOPHILS	0		%	0 - 1	VCS 360 Technology
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	4.5		10^3/uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	1.7		10^3/uL	1.2 - 6.6	Calculation
ABSOLUTE MONOCYTE COUNT	0.5		10^3/uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.1		10^3/uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10^3/uL	0 - 0.11	Calculation

Comments: Please correlate clinically.

Dr. Vyoma V Shah **Dr. Adley Mark Fernandes** M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist** 

Page 4 of 5 This is an electronically authenticated report

**MUBASHER ZAHOOR Laboratory Technologist** Printed on: 24/12/2024 17:30

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





# **Laboratory Investigation Report**

Name : Ms. PROVIAS ATUHARIE

DOB : 01/09/1996 Age / Gender : 28 Y / Female

Centre : CITICARE MEDICAL CENTER

DR HUMAIRA

**Ref No.** : 45315

**Sample No.** : 2412517212

**Collected** : 23/12/2024 21:00 **Registered** : 24/12/2024 15:56

**Reported** : 24/12/2024 16:24

### **HEMATOLOGY**

Test Result Flag Unit Reference Range Methodology

**COMPLETE BLOOD COUNT (CBC)** 


**INTERPRETATION NOTES:** 

Referred by

Please note update on CBC report format, reference ranges and method(Beckman Coulter).

Sample Type: EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) Pathologist

This is an electronically authenticated report

Dr. Vyoma V Shah M.D (Pathology) Clinical Pathologist

Page 5 of 5

Modalher

MUBASHER ZAHOOR Laboratory Technologist Printed on: 24/12/2024 17:30

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com