



Laboratory Investigation Report

Name : Mr. LIWAA BOU GHADER Ref No. : 45362

DOB 02/09/1996 Sample No. 2412519149 Age / Gender 28 Y 3 M / Male **Collected** 29/12/2024 10:33 Referred by CITI CARE Registered 29/12/2024 15:50 CITICARE MEDICAL CENTER Centre Reported 29/12/2024 16:22

CLINICAL PATHOLOGY

CLINICAL PATHOLOGY						
Test	Result	Flag	Unit	Reference Range	Methodology	
STOOL ANALYSIS (ROUTINE)						
MACROSCOPIC EXAMINATION						
COLOR	Brown			-	Visual	
CONSISTENCY	Semi-formed			-	Visual	
BLOOD	Absent			Absent	Visual	
MUCUS	Absent			Absent	Visual	
MICROSCOPIC EXAMINATION						
LEUCOCYTES	0-1		/HPF	Absent	Microscopy	
ERYTHROCYTES	0-1			0 - 2	Microscopy	
OVA	Absent			Absent	Microscopy and Micrometry	
CYST	Absent		/HPF	Absent	Microscopy and Micrometry	
ENTAMOEBA	Absent		/HPF	Absent	Microscopy	
YEAST CELLS	Absent		/HPF	Absent	Microscopy	
UNDIGESTED FOOD PARTICLES	Present	Н	/HPF	Absent	Microscopy	
OTHERS	Absent		/HPF	Absent	Microscopy	
Sample Type : Stool						
Sample Type .		End	d of Report			

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist


This is an electronically authenticated report

Page 1 of 3



Jillian Joy Garcia Laboratory Technologist

Printed on: 30/12/2024 12:51





reports@biosytech.ae www.biosytech.com





Laboratory Investigation Report

Name : Mr. LIWAA BOU GHADER Ref No. : 45362

DOB 02/09/1996 Sample No. 2412519149 Age / Gender 28 Y 3 M / Male Collected 29/12/2024 10:33 Referred by CITI CARE Registered 29/12/2024 15:50 CITICARE MEDICAL CENTER Reported 29/12/2024 20:09 Centre

ENDOCRINOLOGY

Test Result Flag Unit Reference Range Methodology

ESTRADIOL (E2) 6.5 L pg/mL 11.3 - 43.2 ECLIA

Please note update. Source: Roche

INTERPRETATION NOTES:

Refer to Interpretation Table for Female Reference Range:

FEMALE	REFERENCE RANGE (pg/mL)			
Tanner Stage I (>14 days and prepubertal) (Mean Age: 7.1 years)	Undetectable - 20			
Tanner Stage II (Mean Age: 10.5 years)	Undetectable - 24			
Tanner Stage III (Mean Age: 11.6 years)	Undetectable - 60			
Tanner Stage IV (Mean Age: 12.3 years)	15 - 85			
Tanner Stage V (Mean Age: 14.5 years)	15 - 350			
Follicular Phase	20.5 - 233			
Mid Cycle	60.4 - 602			
Luteal Phase	51.1 - 222			
First Trimester	154 - 3243			
Second Trimester	1561 - 21280			
Third Trimester	8525 - > 30000			
Post Menopause	< 5			
Please note update in reference range. Source: Roche; Mayo Clinic Laboratories for Tanner Stage				

Refer to Interpretation Table for Male Reference Range:

1 to 14 days: Estradiol levels in newborns are very elevated at birth but will fall to prepubertal levels within a few days.

TANNER STAGE MALE	REFERENCE RANGE (pg/mL)
Stage I (>14 days and prepubertal)(Mean Age: 7.1 years)	Undetectable - 13
Stage II (Mean Age: 12.1 years)	Undetectable - 16
Stage III (Mean Age: 13.6 years)	Undetectable - 26
Stage IV (Mean Age: 15.1 years)	Undetectable - 38
Stage V (Mean Age: 18 years)	10 - 40

Dr. Adley Mark Fernandes M.D (Pathology)

Pathologist

M.D (Pathology)
Clinical Pathologist

Dr. Vyoma V Shah

This is an electronically authenticated report

P.O Box: 49527

Page 2 of 3

Tel: +971 4 398 8567

HARSHAD MANIKANDAN Laboratory Technician Printed on: 30/12/2024 12:51

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE





reports@biosytech.ae www.biosytech.com





Laboratory Investigation Report

Name : Mr. LIWAA BOU GHADER

 DOB
 : 02/09/1996

 Age / Gender
 : 28 Y 3 M / Male

 Referred by
 : CITI CARE

Centre : CITICARE MEDICAL CENTER

Ref No. : 45362

Sample No. : 2412519149

Collected : 29/12/2024 10:33 **Registered** : 29/12/2024 15:50

Reported : 29/12/2024 20:09

ENDOCRINOLOGY

Test Result Flag Unit Reference Range Methodology

Increased level is seen in early puberty, tumors in the ovaries or testes, gynecomastia, hyperthyroidism, cirrhosis of liver.

Decreased level is seen in menopause, Turner syndrome, ovarian failure, polycystic ovarian syndrome (PCOS), depleted estrogen production, which can be caused by low body fat, hypopituitarism, hypogonadism.

TESTOSTERONE (TOTAL) > **46.93 H** nmol/L 8.64 - 29 ECLIA

Please note change in method and reference range.

Source: Roche IFU.

Comments: Rechecked. Please correlate clinically.

INTERPRETATION NOTES:

Tanner Stage Interpretation Table (Source:Roche IFU):

Tanner Stage	Reference Ranges (Male)	Reference Ranges (Female)
Tanner Stage I (> 14 days):	Undetectable - 0.087	Undetectable - 0.21
Tanner Stage II (11.5 years):	Undetectable - 14.99	Undetectable - 0.36
Tanner Stage III (13.6 years):	2.25 - 27.00	Undetectable - 0.82
Tanner Stage IV (15.1 years):	6.24 - 26.45	Undetectable - 0.92
Tanner Stage V (18.0 years):	6.51 - 30.50	0.16 - 1.32

High amounts of testosterone in the body can lead to a lower sperm count.

Low testosterone concentrations can be caused by testicular failure (primary hypogonadism) or inadequate stimulation by pituitary gonadotropins (secondary hypogonadism).

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

P.O Box: 49527

Page 3 of 3

Tel: +971 4 398 8567

HARSHAD MANIKANDAN Laboratory Technician Printed on: 30/12/2024 12:51

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE





reports@biosytech.ae www.biosytech.com