

DOB/Gender

Lab No.

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

: SHAHZAD AHMED MUHAMMAD MUSHTAQ Name

: 04-09-1990 (34 Yrs 3 Month 25 Days/Male)

Referral Doctor Referral Clinic

File. No.

: AAL02-431865

: Dr. Enomen Goodluck Ekata : Citicare Medical Center LLC

Clinic File No : 45367

Request Date : 29-12-2024 14:31:36 : NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

: 22243640136

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	25.8 <sup>H</sup>	AU/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA

Positive: > 12

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Sample Type: Serum

These tests are accredited under ISO 15189:2022 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 28-12-2024 07:03:00 Authenticated On: 30-12-2024 16:19:54

Received On: 29-12-2024 14:34:00 Released On: 30-12-2024 16:47:49

**Padmapriya** Kumareshan

Sr. Technician DHA-P-2992011

