

## Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO المارة دبن للإعتماد طبقا لمواصفات الأيزو

## LABORATORY REPORT

Name : KHALIL UR REHMAN MUHAMMAD YAHYA

DOB/Gender : 20-02-1985 (39 Yrs 10 Month 8 Days/Male)

Lab No. : **22243650168** 

Request Date : 30-12-2024 14:05:53

Insurance: NAS ADMINISTRATION SERVICES LTD

File. No. : **AAL02-302006** 

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 28465

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	5.52	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4 Diabetes: =>6.5	TINIA(turbidimetr ic inhibition immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic

 $goals \ of \ the \ American \ Diabetes \ Association \ (ADA \ 2010). \ Please \ note \ Reference \ Range \ Reviewed \ w.ef \ 15/10/23 \ .$ 

Sample Type : EDTA WB

**Glucose(RBS)** 125.00 mg/dL Fasting: 70 - 100

1 hr post eating: 70 - 187 2 hrs post eating: 70 - 134 HK/G-6-PDH

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Fluoride Plasma

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 29-12-2024 07:30:00

Authenticated On: 30-12-2024 15:15:17 Released On: 30-12-2024 15:16:51

Received On: 30-12-2024 14:06:00 Released On: 30-12-2024 15:16:51 Pings

Padmapriya Kumareshan

Sr. Technician DHA-P-2992011

