

DOB/Gender

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

## LABORATORY REPORT

: SUJITH SURESH MENON SURESH Name

: 20-05-1985 (39 Yrs 7 Month 11 Days/Male)

Lab No. : 22243660253

Request Date : 31-12-2024 17:30:52

: NAS ADMINISTRATION SERVICES LTD Insurance

File. No. : AAL02-430891

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 34097

## LIPID PROFILE I

## CLINICAL BIOCHEMISTRY

CLINICAL BIOCHEMISTRY				
Test Name	Result	Units	Ref. Range	Method
Cholesterol	246.00 <sup>H</sup>	mg/dL	Desirable: < 200 Borderline:200 -239 High: >or =240	Enzymatic- Cholesterol esterase
Please note Reference Range Revie	ewed w.ef 15/10/23			
Triglycerides	194.00 <sup>H</sup>	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Revie	ewed w.ef 15/10/23			
HDL Cholesterol	43.10	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Revie	ewed w.ef 15/10/23			
LDL Cholesterol	178.00 <sup>H</sup>	mg/dL	Optimal: < 100 Near or above optimal:100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Revie	ewed w.ef 15/10/23			
*VLDL	24.90	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	5.71 <sup>H</sup>	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

--- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Received On: 31-12-2024 17:31:00 Patient Sample Collected On: 31-12-2024 07:40:00 Authenticated On: 31-12-2024 19:10:01

Released On: 31-12-2024 19:21:04

Esmeralda Obenita

Lab Incharge DHA-P-2992011

