



Laboratory Investigation Report

Name : AIYSHA ABDUL GAFFAR

DOB : 25/07/2003

Age / Gender : 21 Y / Female
Referred by : DR.ENOMEN

Centre : CITICARE MEDICAL CENTER

Ref No. : 44646

Sample No. : 2501520729

Collected : 02/01/2025 20:00:00 **Registered** : 03/01/2025 15:17:29

Reported : 05/01/2025 16:30:31

MICROBIOLOGY

Test : CULTURE AND SENSITIVITY (URINE)

Specimen : URINE

ResultType : No Significant Growth after 48 Hours of Aerobic

Incubation.

End of Report



Microbiology Technologist
Printed on: 06/01/2025 09:58

Dr. Aruna Jadhav
MD (Microbiology)
Specialist Microbiologist
This is an electronically outbonticated con

This is an electronically authenticated report Final Report

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under

ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com

Page 1 of 1





Laboratory Investigation Report

Name : Ms. AIYSHA ABDUL GAFFAR Ref No. : 44646

DOB 25/07/2003 Sample No. 2501520729 21 Y / Female Age / Gender **Collected** 02/01/2025 20:00 Referred by : DR.ENOMEN Registered : 03/01/2025 15:17 : CITICARE MEDICAL CENTER 03/01/2025 18:59 Centre Reported

BIOCHEMISTRY					
Test LIPID PROFILE TEST	Result	Flag	Unit	Reference Range	Methodology
CHOLESTEROL (TOTAL)	154		mg/dl	Desirable: < 200 Borderline High: 200 - 239 High: ≥ 240 Please note change. Source: Roche IFU.	Enzymatic colorimteric assay
HDL CHOLESTEROL	50		mg/dl	40 - 60 Please note change. Source: Roche IFU.	Homogeneous enzymatic colorimetric assay
LDL CHOLESTEROL DIRECT	94		mg/dl	Optimal: < 100 Near/Above Optimal: 100 - 129	Homogeneous enzymatic colorimetric assay
				Borderline High: 130 - 159 High: 160 - 189 Very High: ≥ 190 Please note change. Source: Roche IFU.	
VLDL CHOLESTEROL	16		mg/dL	< 30	Calculation
NON-HDL CHOLESTEROL	110		mg/dL	< 140	Calculation
TRIGLYCERIDES	81		mg/dl	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: > 500 Source: Roche IFU.	Enzymatic colorimetric assay
TOTAL CHOLESTEROL / HDL RATIO	3.1			< 4.5	Calculation
LDL / HDL RATIO	1.9			< 3.5	Calculation
Sample Type : Serum		End	l of Report		

Dr. Adley Mark Fernandes
Dr. Vyoma V Shah
M.D (Pathology)
M.D (Pathology)

This is an electronically authenticated report

P.O Box: 49527

Pathologist

NAZAR MOHAMED ALI Laboratory Technologist Printed on: 06/01/2025 09:58

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE

Clinical Pathologist



Page 1 of 1

Tel: +971 4 398 8567



reports@biosytech.ae www.biosytech.com