



BML510277

Laboratory Investigation Report

Name	: Ms. ELONA BABAMUSTA	Ref No.	: 41549
DOB	: 28/11/1972	Sample No.	: 2501522740
Age / Gender	: 52 Y / Female	Collected	: 08/01/2025 13:34
Referred by	: CITICARE MEDICAL CENTER	Registered	: 08/01/2025 16:25
Centre	: CITICARE MEDICAL CENTER	Reported	: 08/01/2025 18:22

ENDOCRINOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
THYROID FUNCTION TEST (FT3+FT4+TSH)					
TRIIODOTHYRONINE, FREE (FT3)	8.3	H	pmol/L	3.71 – 6.70	ECLIA
				Reference Range for Pregnant: First Trimester: 3.78 – 5.97 Second Trimester: 3.21 – 5.45 Third Trimester: 3.09 – 5.03 Please note change in method and reference range. Source: Roche IFU.	
THYROXINE, FREE (FT4)	23.5	H	pmol/L	12.3 – 20.2	ECLIA
				Reference Range for Pregnant: First Trimester: 12.1 – 19.6 Second Trimester: 9.63 – 17.0 Third Trimester: 8.39 – 15.6 Please note change in method and reference range. Source: Roche IFU.	
THYROID STIMULATING HORMONE (TSH)	<0.114	L	uIU/mL	0.27 - 4.2	ECLIA
				Reference Range for Pregnant: First Trimester: 0.24 – 2.99 Second Trimester: 0.46 – 2.95 Third Trimester: 0.43 – 2.78	

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Gyoma V. Shah
Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Harshad Manikandan
HARSHAD MANIKANDAN
Laboratory Technician

This is an electronically authenticated report

Page 1 of 1

Printed on: 08/01/2025 18:34

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

