

LABORATORY REPORT

Name	: SHAKKIRA ABOOBACKER	File. No.	: AAL02-434431
DOB/Gender	: 24-08-1995 (29 Yrs 4 Month 25 Days/Female)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22250180352	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 18-01-2025 21:30:18	Clinic File No	: 40368
Insurance	: NAS ADMINISTRATION SERVICES LTD		

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
TSH (Thyroid Stimulating Hormone)	1.3000	μIU/mL	0.27-4.20 Pregnancy: 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15	ECLIA

Conversion Formula: (Concentration in IU/ mL) x (1.0) = mIU/L. The determination of TSH serves as the initial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH level. Accordingly, TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. Please note Reference Range Reviewed w.ef 15/10/23 .

Sample Type : Serum

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 18-01-2025 14:20:00
Authenticated On : 19-01-2025 00:06:05

Received On : 18-01-2025 21:30:00
Released On : 19-01-2025 00:14:26



Esmeralda Obenita
Lab Incharge
DHA-P-2992011

LABORATORY REPORT

Name	: SHAKKIRA ABOOBACKER	File. No.	: AAL02-434431
DOB/Gender	: 24-08-1995 (29 Yrs 4 Month 25 Days/Female)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22250180352	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 18-01-2025 21:30:18	Clinic File No	: 40368
Insurance	: NAS ADMINISTRATION SERVICES LTD		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	137.00	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: >or =240	Enzymatic- Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	71.50	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	42.80	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	90.90	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160 - 189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	14.30	mg/dL	5.0-30.0	Calculation
*Cholesterol / HDL	3.20	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 18-01-2025 14:20:00
Authenticated On : 19-01-2025 00:06:05

Received On : 18-01-2025 21:30:00
Released On : 19-01-2025 00:14:26



Esmeralda Obenita
Lab Incharge
DHA-P-2992011