



Laboratory Investigation Report

Name	: Ms. JANE CARTEN MORENO	Ref No.	: 44166
DOB	: 31/01/1985	Sample No.	: 2501528288
Age / Gender	: 39 Y / Female	Collected	: 21/01/2025 14:00
Referred by	: Dr Sandia	Registered	: 21/01/2025 22:16
Centre	: CITICARE MEDICAL CENTER	Reported	: 21/01/2025 23:14

ENDOCRINOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
THYROID STIMULATING HORMONE (TSH)	0.9		uIU/mL	0.27 - 4.2	ECLIA

Reference Range for
Pregnant:
First Trimester: 0.24 – 2.99
Second Trimester:
0.46 – 2.95
Third Trimester: 0.43 – 2.78

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Gyoma V. Shah
Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Nazar Mohamed Ali
NAZAR MOHAMED ALI
Laboratory Technologist

This is an electronically authenticated report

Page 1 of 1

Printed on: 21/01/2025 23:16

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

