

LABORATORY REPORT

Name	: LITTO VARGHESE	File. No.	: AAL02-354832
DOB/Gender	: 30-05-1988 (36 Yrs 7 Month 23 Days/Male)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22250220191	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 22-01-2025 14:24:20	Clinic File No	: 34727
Insurance	: ALMADALLAH HEALTHCARE MANAGEMENT		

RENAL FUNCTION PANEL (FASTING) CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Albumin	4.87	g/dL	3.97 - 4.94	Colorimetric - BCG
Please note Reference Range Reviewed w.ef 15/10/23				
*Total CO2 (Bicarbonate)	25.40	mmol/L	22.0 - 29.0	PEP Carboxylase
Please note Reference Range Reviewed w.ef 15/10/23				
Calcium	9.74	mg/dL	8.6 - 10.3	NM-BAPTA
Please note Reference Range Reviewed w.ef 15/10/23				
Chloride (serum)	104.90	mmol/L	98 - 107	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
Creatinine (serum)	1.33 ^H	mg/dL	0.70-1.20	Jaffe-Alkaline Picrate
Please note Reference Range Reviewed w.ef 15/10/23				
Sample Type : Serum				
Glucose (Fasting)	101.00 ^H	mg/dL	70 - 100	HK/G-6-PDH
Please note Reference Range Reviewed w.ef 15/10/23				
Sample Type : Fluoride Plasma				
Phosphorous	5.11 ^H	mg/dL	2.5-4.5	Molybdate UV
Please note Reference Range Reviewed w.ef 15/10/23 .				
Sodium	142.20	mmol/L	136 - 145	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
Potassium (serum)	5.50	mmol/L	3.5 - 5.5	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
Urea	40.00	mg/dL	12.86 - 42.86	Urease/GLDH
Please note Reference Range Reviewed w.ef 15/10/23				
Sample Type : Serum				

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 22-01-2025 08:00:00
Authenticated On : 22-01-2025 17:31:23

Received On : 22-01-2025 14:34:00
Released On : 22-01-2025 18:07:05

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name : **LITTO VARGHESE** File. No. : **AAL02-354832**
DOB/Gender : **30-05-1988 (36 Yrs 7 Month 23 Days/Male)** Referral Doctor : **Dr. Humaira Mumtaz**
Lab No. : **22250220191** Referral Clinic : **Citicare Medical Center LLC**
Request Date : **22-01-2025 14:24:20** Clinic File No : **34727**
Insurance : **ALMADALLAH HEALTHCARE MANAGEMENT**

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	190.00	mg/dL	Desirable: < 200 Borderline: 200-239 High: >or =240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	144.00	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	31.10^L	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	134.00^H	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	24.90	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	6.11^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 22-01-2025 08:00:00
Authenticated On : 22-01-2025 17:31:23

Received On : 22-01-2025 14:34:00
Released On : 22-01-2025 18:07:05

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673