

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MUHAMMAD ADNAN FAZAL REHMAN File. No. : AAL02-413439 DOB/Gender : 17-07-1987 (37 Yrs 7 Month 23 Days/Male) Referral Doctor : Dr. Humaira Mumtaz

Lab No. : 22250490380 Referral Clinic : Citicare Medical Center LLC

Request Date : 18-02-2025 21:09:42 Clinic File No : 29231

: ALMADALLAH HEALTHCARE MANAGEMENT Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.24	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Received On: 18-02-2025 21:22:00 Patient Sample Collected On: 18-02-2025 11:29:00 Authenticated On: 18-02-2025 22:57:43

Released On: 18-02-2025 23:01:01

Esmeralda Obenita Lab Incharge

DHA-P-2992011

