

LABORATORY REPORT

Name	: MOHSIN KHAN JADOON MUHAMMAD SAEED AKHTAR	File. No.	: AAL02-441150
DOB/Gender	: 01-12-1992 (32 Yrs 3 Month 22 Days/Male)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22250680131	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 09-03-2025 14:37:01	Clinic File No	: 36610
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Uric Acid	7.65 ^H	mg/dL	3.40-7.00	Uricase

Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 08-03-2025 12:00:00
Authenticated On : 09-03-2025 18:10:47

Received On : 09-03-2025 14:39:00
Released On : 09-03-2025 18:12:08



Rhea Suberon
Medical Laboratory
Technician
DHA-P-0123639

LABORATORY REPORT

Name : **MOHSIN KHAN JADOON MUHAMMAD SAEED AKHTAR** File. No. : **AAL02-441150**
DOB/Gender : **01-12-1992 (32 Yrs 3 Month 22 Days/Male)** Referral Doctor : **Dr. Humaira Mumtaz**
Lab No. : **22250680131** Referral Clinic : **Citicare Medical Center LLC**
Request Date : **09-03-2025 14:37:01** Clinic File No : **36610**
Insurance : **NEXTCARE**

LIPID PROFILE I CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Cholesterol	182.00	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: >or =240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	106.00	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	25.10^L	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	130.00^H	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	26.90	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	7.25^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 08-03-2025 12:00:00
Authenticated On : 09-03-2025 18:10:48

Received On : 09-03-2025 14:39:00
Released On : 09-03-2025 18:12:08



Rhea Suberon
Medical Laboratory Technician
DHA-P-0123639