

## Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ١٥١٨٩ Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : MIRRIAM NTHAMBI MUTHIANI

DOB/Gender : 09-03-1988 (36 Yrs 11 Month 13

Days/Female)

Lab No. : **22250530155** 

Request Date : 22-02-2025 14:40:45

Insurance : **NEXTCARE** 

File. No. : **AAL02-435112** 

Referral Doctor : Dr. Amaizah Ishtiag

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 45624

LIPID PROFILE I

**CLINICAL BIOCHEMISTRY** 

Test Name Result Units Ref. Range Method

Triglycerides 50.00 mg/dL NCEP Adult Treatment Panel Enzymatic GPO

Borderline: 150 - 199 High: 200-499 Very High: >or =500

Normal: <150

Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

for ejada purposes, result was change from 49.1 mg/dl to 50 mg/dl

Sample Type: Serum

----- End Of Report ------

These tests are accredited under ISO 15189:2022 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On : 22-02-2025 10:39:00 Authenticated On : 14-03-2025 11:47:31

Printed On: 22-02-2025 22:14:17 Reprinted On: 14-03-2025 11:59:30

Mas

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673



Received On: 22-02-2025 14:44:00

Released On: 14-03-2025 11:58:56