

# MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C

Final Report

إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا Dubai Accreditation Department for ISO 15189

#### LABORATORY REPORT

Name : IHSSANE YAALA File. No. : AAL02-347858

DOB/Gender : 07-11-1998 (26 Yrs 4 Month 22 Days/Female) Referral Doctor : Dr. Amaizah Ishtiaq

Lab No. : 22250730134 Referral Clinic : Citicare Medical Center LLC

Insurance : NATIONAL GENERAL INSURANCE (HEALTHNET)

## **HAEMATOLOGY & COAGULATION**

Test Name	Result	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CBC	C) WITH DIFFERENTI	<u>AL</u>		
RBC	3.94	10^12/L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	11.6 <sup>L</sup>	g/dl	12.0 - 15.0	Photometry-SLS
НСТ	33.9 <sup>L</sup>	%	36.0 - 46.0	Hydrodynamic focusing (HF)
MCV	86.0	fl	83.0 - 101.0	Calculation
MCH	29.4	pg	27-32	Calculation
MCHC	34.2	g/dL	31.5 - 34.5	Calculation
Platelet Count	167	10^3/uL	150-400	HF (DCD)
WBC	8.81	10^3/uL	4.00 - 10.00	Flow Cytometry
<b>DIFFERENTIAL COUNT (%)</b>				
Neutrophils	64.0	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	25.8	%	20.0 - 40.0	Flow Cytometry
Monocytes	8.5	%	2-10	Flow Cytometry
Eosinophils	1.2	%	1 - 6	Flow Cytometry
Basophils	0.5	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
DIFFERENTIAL COUNT (ABSOLU	ITE)			
Neutrophils (Absolute)	5.64	10^3/uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.27	10^3/uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.75	10^3/uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.11	10^3/uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.04	10^3/uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10^3/uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui

Laboratory Director DHA/LS/248469 Patient Sample Collected On: 13-03-2025 20:38:00

Authenticated On: 14-03-2025 16:32:56 Released On: 14-03-2025 16:38:30

pe/Gender.

Received On: 14-03-2025 14:08:00 Rhea Suberon

Medical Laboratory Technician DHA-P-0123639





## MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م

Final Report

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : IHSSANE YAALA File. No. : AAL02-347858 DOB/Gender : 07-11-1998 (26 Yrs 4 Month 22 Days/Female) Referral Doctor : Dr. Amaizah Ishtiag

Lab No. : 22250730134 Referral Clinic : Citicare Medical Center LLC

Request Date : 14-03-2025 14:08:32 Clinic File No : 32626

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	11.80 <sup>H</sup>	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 13-03-2025 20:38:00

Authenticated On: 14-03-2025 16:32:56

Received On: 14-03-2025 14:08:00 Released On: 14-03-2025 16:38:30

Rhea Suberon Medical Laboratory Technician DHA-P-0123639

