

## MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C

Final Report

إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا Dubai Accreditation Department for ISO 15189

### LABORATORY REPORT

Name : **DWI LARAS SITI RAHMAWATI** File. No. : **AAL02-443103**DOB/Gender : **11-09-1996 (28 Yrs 6 Month 11 Days/Female)** Referral Doctor : **Dr. Humaira Mumtaz** 

Lab No. : 22250810269 Referral Clinic : Citicare Medical Center LLC

Insurance : ALMADALLAH HEALTHCARE MANAGEMENT

## **HAEMATOLOGY & COAGULATION**

Test Name	Result	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CBC)	WITH DIFFERENT	<u> </u>		
RBC	4.56	10^12/L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	12.4	g/dl	12.0 - 15.0	Photometry-SLS
НСТ	37.4	%	36.0 - 46.0	Hydrodynamic focusing (HF)
MCV	82.0 <sup>L</sup>	fl	83.0 - 101.0	Calculation
MCH	27.2	pg	27-32	Calculation
MCHC	33.2	g/dL	31.5 - 34.5	Calculation
Platelet Count	302	10^3/uL	150-400	HF (DCD)
WBC	3.93 <sup>L</sup>	10^3/uL	4.00 - 10.00	Flow Cytometry
<b>DIFFERENTIAL COUNT (%)</b>				
Neutrophils	72.2	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	16.3 <sup>L</sup>	%	20.0 - 40.0	Flow Cytometry
Monocytes	10.7 <sup>H</sup>	%	2-10	Flow Cytometry
Eosinophils	0.5 <sup>L</sup>	%	1 - 6	Flow Cytometry
Basophils	0.3	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
DIFFERENTIAL COUNT (ABSOLUTI	<u>E)</u>			
Neutrophils (Absolute)	2.84	10^3/uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	0.64 <sup>L</sup>	10^3/uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.42	10^3/uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.02	10^3/uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.01 <sup>L</sup>	10^3/uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10^3/uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui

Laboratory Director DHA/LS/248469 Patient Sample Collected On: 22-03-2025 19:00:00

Authenticated On: 22-03-2025 23:00:24 Released On: 22-03-2025 23:02:

Received On: 22-03-2025 21:52:00 Released On: 22-03-2025 23:02:21 a m

Esmeralda Obenita Lab Incharge

DHA-P-2992011





# MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا Dubai Accreditation Department for ISO 15189

### LABORATORY REPORT

Name : **DWI LARAS SITI RAHMAWATI** File. No. : **AAL02-443103**DOB/Gender : **11-09-1996 (28 Yrs 6 Month 11 Days/Female)** Referral Doctor : **Dr. Humaira Mumtaz** 

Lab No. : 22250810269 Referral Clinic : Citicare Medical Center LLC

Insurance : ALMADALLAH HEALTHCARE MANAGEMENT

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	10.20 <sup>H</sup>	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 22-03-2025 19:00:00
Authoriticated On: 22-03-2025 23:00:24

Authenticated On: 22-03-2025 23:00:24 Released On: 22-03-2025 23:02

Received On: 22-03-2025 21:52:00 Released On: 22-03-2025 23:02:21

<sup>:21</sup> Lab Incharge DHA-P-2992011



Esmeralda Obenita

