

MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م

Final Report

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: ADNAN SAQIB MUHAMMAD ABDUL QADIR File. No. Name

: AAL02-415014

KHAN

DOB/Gender : 12-04-1979 (45 Yrs 11 Month 8 Days/Male)

Referral Doctor : Dr. Amaizah Ishtiag

Lab No.

: 22250830346

Referral Clinic

: Citicare Medical Center LLC

Request Date : 24-03-2025 21:51:13

Clinic File No

: 37737

Insurance

: ALMADALLAH HEALTHCARE MANAGEMENT

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	9.26 ^H	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4 Diabetes: =>6.5	TINIA(turbidimetr ic inhibition immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23.

Sample Type : EDTA WB

Glucose (Fasting)

271.00 H

mg/dL

70 - 100

HK/G-6-PDH

Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Fluoride Plasma

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui

Laboratory Director DHA/LS/248469

Patient Sample Collected On: 24-03-2025 16:10:00

Authenticated On: 24-03-2025 22:48:54

Received On: 24-03-2025 21:53:00

Released On: 24-03-2025 23:02:46

Esmeralda Obenita

Lab Incharge DHA-P-2992011

