

MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : ELLIANA LEANDRA PRIMROSE FLEMING DOB/Gender

: 04-02-2022 (3 Yrs 1 Month 23 Days/Female)

Lab No. : 22250860128

Request Date : 27-03-2025 14:21:18

: NAS ADMINISTRATION SERVICES LTD Insurance

File. No. : AAL02-443649

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 46282

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	1.49	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

--- End Of Report ------

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 26-03-2025 20:00:00

Authenticated On: 27-03-2025 17:26:04

Received On: 27-03-2025 14:23:00 Released On: 27-03-2025 18:08:33

Padmapriya Kumareshan

Sr. Technician DHA-P-2992011

