

MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MOHSIN KHAN JADOON MUHAMMAD

SAEED AKHTAR

DOB/Gender : 01-12-1992 (32 Yrs 4 Month 24 Days/Male)

Lab No. : 22250980116

Request Date : 08-04-2025 12:49:48

Insurance : **NEXTCARE**

File. No. : **AAL02-441150**

IIC. 110. . AALUZ-771130

Referral Doctor : **Dr. Humaira Mumtaz**

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 36610

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	5.66 ^H	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4 Diabetes: =>6.5	TINIA(turbidimetr ic inhibition immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic

goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23. Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On : 06-04-2025 09:15:00 Authenticated On : 08-04-2025 16:06:50

thenticated On: 08-04-2025 16:06:50 Released On: 08-04-2025 16:10:

Received On: 08-04-2025 12:51:00 Released On: 08-04-2025 16:10:43

Padmapriya

Kumareshan Sr. Technician DHA-P-2992011

