

MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : AMANDI KAUSHALYA NIRMANI

PATHIRANAGE DONA

DOB/Gender : 19-10-1999 (25 Yrs 5 Month 19 Days/Female) Referral Doctor : 22250980018

Request Date : 07-04-2025 22:02:11

Insurance : NEXTCARE

Lab No.

File. No. : AAL02-1304497

: Dr. Aisha Umer

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 46405

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	<0.60	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Received On: 08-04-2025 10:30:00 Patient Sample Collected On: 07-04-2025 03:25:00 Authenticated On: 08-04-2025 11:52:56

Released On: 08-04-2025 12:25:29

Kumareshan Sr. Technician

Padmapriya

DHA-P-2992011

