

MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MARIAM TUHIRIRWE

DOB/Gender : 06-06-1998 (26 Yrs 10 Month 22

Days/Female)

Lab No. : 22251010190

Request Date : 11-04-2025 15:25:49

: NEXTCARE Insurance

File. No. : AAL02-436301

: Dr. Aisha Umer Referral Doctor

: Citicare Medical Center LLC Referral Clinic

Clinic File No : 45711

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method		
COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL						
RBC	4.33	10^12/L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)		
Haemoglobin	12.0	g/dl	12.0 - 15.0	Photometry-SLS		
нст	35.8 ^L	%	36.0 - 46.0	Hydrodynamic focusing (HF)		
MCV	82.7 ^L	fl	83.0 - 101.0	Calculation		
MCH	27.7	pg	27-32	Calculation		
MCHC	33.5	g/dL	31.5 - 34.5	Calculation		
Platelet Count	211	10^3/uL	150-400	HF (DCD)		
WBC	4.05	10^3/uL	4.00 - 10.00	Flow Cytometry		
DIFFERENTIAL COUNT (%)						
Neutrophils	77.0	%	40.0 - 80.0	Flow Cytometry		
Lymphocytes	12.0 ^L	%	20.0 - 40.0	Flow Cytometry		
Monocytes	10.0	%	2-10	Flow Cytometry		
Eosinophils	1.0	%	1 - 6	Flow Cytometry		
Basophils	0.0	%	<1-2	Flow Cytometry		
Band Forms	0.0	%	< 6	Flow Cytometry		
DIFFERENTIAL COUNT (ABSOLUTE)						
Neutrophils (Absolute)	3.12	10^3/uL	2.00 - 7.00	Calculation		
Lymphocytes (Absolute)	0.48 ^L	10^3/uL	1.00 - 3.00	Calculation		
Monocytes (Absolute)	0.40	10^3/uL	0.20 - 1.00	Calculation		
Eosinophils (Absolute)	0.05	10^3/uL	0.02 - 0.50	Calculation		
Basophils (Absolute)	0.00 ^L	10^3/uL	0.02 - 0.10	Calculation		
Band Forms (Absolute)	0.00	10^3/uL	< 0.66	Calculation		

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary. Differential count done manually.

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 11-04-2025 13:00:00 Received On: 11-04-2025 15:29:00 Authenticated On: 11-04-2025 19:03:20

Released On: 11-04-2025 19:10:15

Kumareshan Sr. Technician DHA-P-2992011

Padmapriya







MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MARIAM TUHIRIRWE

DOB/Gender : 06-06-1998 (26 Yrs 10 Month 22

Days/Female)

Lab No. : **22251010190**

Request Date : 11-04-2025 15:25:49

Insurance : **NEXTCARE**

File. No. : **AAL02-436301**

Referral Doctor : Dr. Aisha Umer

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 45711

Test Name Result Units Ref. Range Method

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 11-04-2025 13:00:00

Authenticated On: 11-04-2025 19:03:20 Released On: 11-04-202

Received On: 11-04-2025 15:29:00 Released On: 11-04-2025 19:10:15 Pings

Padmapriya Kumareshan

Sr. Technician DHA-P-2992011





MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MARIAM TUHIRIRWE DOB/Gender

: 06-06-1998 (26 Yrs 10 Month 22

Days/Female)

Lab No. : 22251010190

Request Date : 11-04-2025 15:25:49

: NEXTCARE Insurance

File. No. : AAL02-436301

Referral Doctor : Dr. Aisha Umer

: Citicare Medical Center LLC Referral Clinic

Clinic File No : 45711

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	6.48 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 11-04-2025 13:00:00 Received On: 11-04-2025 15:29:00 Authenticated On: 11-04-2025 19:03:20

Released On: 11-04-2025 19:10:15

Padmapriya Kumareshan Sr. Technician

DHA-P-2992011

