

MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : NESRINE DJEBBARA File. No. : AAL02-428552

: 16-11-2001 (23 Yrs 5 Month 3 Days/Female) DOB/Gender Referral Doctor : Dr. Farhan Ilyas Malik

Lab No. : 22251060232 Referral Clinic : Citicare Medical Center LLC

Request Date : 16-04-2025 17:32:04 Clinic File No : 45101

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CBC)		TAL		
RBC	5.01 ^H	10^12/L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	12.9	g/dl	12.0 - 15.0	Photometry-SLS
НСТ	39.8	%	36.0 - 46.0	Hydrodynamic focusing (HF)
MCV	79.4 ^L	fl	83.0 - 101.0	Calculation
MCH	25.7 ^L	pg	27-32	Calculation
MCHC	32.4	g/dL	31.5 - 34.5	Calculation
Platelet Count	265	10^3/uL	150-400	HF (DCD)
WBC	7.63	10^3/uL	4.00 - 10.00	Flow Cytometry
DIFFERENTIAL COUNT (%)				
Neutrophils	60.6	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	23.9	%	20.0 - 40.0	Flow Cytometry
Monocytes	11.3 ^H	%	2-10	Flow Cytometry
Eosinophils	3.5	%	1 - 6	Flow Cytometry
Basophils	0.7	%	<1-2	Flow Cytometry
DIFFERENTIAL COUNT (ABSOLUT	<u>(E)</u>			
Neutrophils (Absolute)	4.63	10^3/uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.82	10^3/uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.86	10^3/uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.27	10^3/uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.05	10^3/uL	0.02 - 0.10	Calculation

Remarks:

Recommended to do peripheral smear, iron studies and thalassemia screening. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Received On: 16-04-2025 17:33:00 Patient Sample Collected On: 15-04-2025 20:00:00 Authenticated On: 16-04-2025 19:41:54 Released On: 16-04-2025 19:42:35 Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673





MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : NESRINE DJEBBARA File. No. : AAL02-428552

DOB/Gender

: 16-11-2001 (23 Yrs 5 Month 3 Days/Female)

: Dr. Farhan Ilyas Malik

Lab No.

: 22251060232

Referral Doctor Referral Clinic

: Citicare Medical Center LLC

Request Date : 16-04-2025 17:32:04

Clinic File No : 45101

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	18.70 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 15-04-2025 20:00:00

Authenticated On: 16-04-2025 19:41:54 Released On: 16-04-2025 19:42:35

Received On: 16-04-2025 17:36:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

