

MEDSOL AL ABBAR LABORATORIES for Research &

Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : QAMAR SHAHZAD MUHAMMAD YAQOOB File. No. : AAL02-1304032 DOB/Gender : 23-03-1993 (32 Yrs 1 Month 11 Days/Male) Referral Doctor : Dr. Amaizah Ishtiag

Lab No. : 22251060153 Referral Clinic : Citicare Medical Center LLC Clinic File No : 45195

Request Date : 16-04-2025 14:05:05 : NAS ADMINISTRATION SERVICES LTD Insurance

CLINICAL BIOCHEMISTRY

| Test Name | Result | Units | Ref. Range | Method |
|-----------|--------|-------|------------|---------|
| Uric Acid | 4.25 | mg/dL | 3.40-7.00 | Uricase |

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 16-04-2025 10:15:00 Authenticated On: 16-04-2025 15:16:03

Received On: 16-04-2025 14:06:00 Released On: 16-04-2025 15:24:57

Padmapriya Kumareshan Sr. Technician

DHA-P-2992011

