

BML552795

Laboratory Investigation Report

Name	: Ms. MELANIE ANNE	Ref No.	: 41661
DOB	: 07/04/1985	Sample No.	: 2504566534
Age / Gender	: 40 Y / Female	Collected	: 21/04/2025 16:40
Referred by	: CITICARE MEDICAL CENTER	Registered	: 21/04/2025 23:30
Centre	: CITICARE MEDICAL CENTER	Reported	: 22/04/2025 11:17

ENDOCRINOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
ANTI MULLERIAN HORMONE (AMH)	1.89		ng/mL	Please refer to interpretation	ECLIA

INTERPRETATION NOTES :

For females


AMH is a dimeric glycoprotein hormone belonging to the TGF- β family, produced by Sertoli cells by ovarian follicular granulosa cells upto antral stage in females.

During reproductive age, follicular AMH production begins during the primary stage, peaks in the preantral stage & has influence on follicular sensitivity to FSH which is important in selection for follicular dominance. AMH levels thus represent the pool or number of primordial follicles but not the quality of oocytes. AMH does not vary significantly during the menstrual cycle & hence can be measured independently of the day of the cycle

- Polycystic ovarian syndrome can elevate AMH 2 to 5 fold higher than age-specific reference ranges & predict anovulatory, irregular cycles. Ovarian tumors like Granulosa cell tumors are often associated with higher AMH.
- Obese women are often associated with diminished ovarian reserve & can have 65% lower mean AMH levels than non-obese women.
- A combination of Age, Ultrasound markers -ovarian volume and Antral follicle count, AMH level & FSH level are useful for optimal assessment of ovarian reserve. Studies in various fertility clinics are ongoing to establish optimal AMH concentrations for predicting response to invitro fertilization, however, given below is suggested interpretative reference-

AMH levels (ng/ml)	Suggested patient Categorization for fertility based on AMH for age group (20 to 45 yrs)	Anticipated Antral Follicle Counts	Anticipated FSH levels (day 3)	Anticipated Response IVF/COH cycle
Below 0.3	Very Low	Below 4	Above 20	Negligible/poor
0.3 to 2.19	Low	4-10	Usually 16-20	Reduced
2.19 to 4	Satisfactory	11-25	Within reference range or Between 11-15	Safe/Normal
Above 4	Optimal	Up to 30 & Above	Within reference range, often between 10-15 or above 15	Possibly Excessive

Conversion of AMH levels from ng/ml to pmol/L can be performed by using equation- 1 ng/ml = 7.14 pmol/L



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

SANA SUNNY

This is an electronically authenticated report

Page 1 of 2

Printed on: 22/04/2025 11:19

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

Name	: Ms. MELANIE ANNE	Ref No.	: 41661
DOB	: 07/04/1985	Sample No.	: 2504566534
Age / Gender	: 40 Y / Female	Collected	: 21/04/2025 16:40
Referred by	: CITICARE MEDICAL CENTER	Registered	: 21/04/2025 23:30
Centre	: CITICARE MEDICAL CENTER	Reported	: 22/04/2025 11:17

ENDOCRINOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

References-

- The Correlations of Anti-Mullerian Hormone, Follicle-Stimulating Hormone and Antral Follicle Count in Different Age Groups of Infertile Women. Royan Institute International Journal of Fertility and Sterility Vol 8, No 4, Jan-Mar 2015, Pages: 393-398
- Age-specific serum antimullerian hormone levels in women with and without polycystic ovary syndrome. Fertility and Sterility 102, No. 1, July 2014
- Anti-Mullerian Hormone: A New Marker of Ovarian Function. J Obstet Gynaecol India. 2014 Apr; 64(2): 130-133.
- AMH- ovarian reserve marker. Fertil steril. 2005; 83(4): 979-87. Human Reprod. 2007 Mar; 22(3).
- Grinspon & Ray: AMH & Sertoli cell function in paediatrics. Horm Res Paediatr 73: 81-92, 2010.

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Vyoma V. Shah
Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

SANA SUNNY

This is an electronically authenticated report

Page 2 of 2

Printed on: 22/04/2025 11:19

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

