

**Ms. NOUR MOHAMMAD HIJAZI
HAJJOUJ**

PID NO : 43613
Age : 25 Years Sex : Female



Reference : Dr. FARHAN

Sample Collected At :

CITICARE MEDICAL CENTER
Unit G03, Al Barsha South Bldg, Al Barsha South
Third, Dubai

VID : 5050101455

Registered on :
04-May-2025 11:03 PM

Collected on :
04-May-2025 12:30 PM

Reported on :
04-May-2025 11:34 PM

Investigation	Observed Value	Flag	Unit	Biological Reference Interval
BETA HCG (Serum, ECLIA)	3215.00		mIU/mL	Refer to Interpretation for Reference Range: Source: Roche IFU.

INTERPRETATION:

Non-Pregnant: < or =5.0

Post-Menopausal: < or =7.0

Reference Range According to Weeks of gestation

Gestational Week	Reference Range
3 weeks	5.8 - 71.2
4 weeks	9.5 - 750
5 weeks	217 - 7138
6 weeks	158 - 31795
7 weeks	3697 - 163563
8 weeks	32065 - 149571
9 weeks	63803 - 151410
10 weeks	46509 - 186977
12 weeks	27832 - 210612
14 weeks	13950 - 62530
15 weeks	12039 - 70791
16 - 29 weeks	1400 - 53000
29 - 41 weeks	940 - 6000

High levels may be indicative of a number of conflicting situations, including everything from a normal pregnancy to ovarian cancer to choriocarcinoma of the uterus or hydatidiform mole of the uterus. Low levels may be indicative of a dead fetus, incomplete miscarriage, or threatened spontaneous abortion.

The measured value of a patient's sample can vary depending on the testing procedure used. If there is a change in the assay procedure used while monitoring therapy, then the values obtained upon changing over to the new procedure must be confirmed by parallel measurements with both methods.

----- End Of Report -----

Ayana V. Shah

[Signature]

**DR. ADLEY MARK
FERNANDES**

DR. VYOMA SHAH

M RASHID CHENANGADATH

M.D (Pathology)

M.D (Pathology)

Laboratory Technologist

Pathologist

Clinical Pathologist

Page 1 of 1

This is an Electronically Authenticated Report.

Printed on: 05-May-2025 08:53 AM

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189 unless specified by (*).

