



Patient Name : Ms. KSENIIA KARNAUKHOVA Sample UID No. : 4077588

 Age / Gender
 : 2 Y / Female
 Sample Collected On : 06-05-2025 13:54

 Patient ID
 : QLD077454
 Registered On : 06-05-2025 22:38

 Referred By
 : DR AMAZAH
 Reported on : 07-05-2025 01:40

Referral Client : CITICARE MEDICAL CENTER External Patient ID : 46741
Emirates ID / Passport No : Print Version : V.1

# Department of BIOCHEMISTRY

<u>Investigation</u> <u>Results</u> <u>Flag</u> <u>Units</u> <u>Biological Reference Interval</u> <u>Method</u>

\* C-REACTIVE PROTEIN (CRP) 9.72 H mg/L < 5 Particle enhanced

immunoturbidimetric assay

Sample: Serum Comments:

#### **CLINICAL IMPLICATIONS:**

- 1. CRP is the most sensitive acute phase reactant that can increase dramatically (100-fold or more) after severe trauma, bacterial infection, inflammation, surgeryor neoplastic proliferation. CRP levels may predict future cardiovascular events and can be used as a screening tool.
- 2. The traditional test of CRP has added significance over the elevated ESR, which may be influenced by altered physiologic states. CRP tends to increase before rises in antibody titres and ESR level occurs. CRP levels also tend to decrease sooner than ESR levels.
- 3. The traditional test for CRP is elevated in rheumatic fever, RA, myocardial infarction, malignancy, bacterial and viral infections. The positive test indicates active inflammation but not its cause. In RA, the traditional test for CRP becomes negative with successful treatment and indicates that the inflammation has subsided.
- 4.High sensitive measurement of CRP (hs-CRP) are useful in assessing vascular inflammation and cardiovascular stratification. A single test for hs-CRP may not reflect an individual patient basal hs-CRP level, therefore follow up tests or serial measurements may be required in patients presenting with increased hs-CRP levels.

**INTERFERING FACTORS:** Haemolysed or lipemic sample may alter the results.

#### REFERENCE:

- 1) Manual of Laboratory and Diagnostics -Frances Fischbach Marshall B. Dunning III [9th Edition]
- 2) Tietz clinical guide to Laboratory tests(Fourth edition) ALAN H.B.WU

- END OF REPORT -

### Note:

"The analytes with asterix (\*) symbol are non-accredited parameters.".
"QLabs compliance with ISO 15189:2022 standards"

Vaishnav Jayamohan Lab Technologist

DHA No. 87250933-002



Dr. Vidhya Mohan Specialist Clinical Pathologist Clinical Pathologist DHA No. 23553203-004 Dr. Dheepa Manoharan Medical Director Specialist Microbiologist DHA No. 00231751-004

Page 1 of 3





Patient Name : Ms. KSENIIA KARNAUKHOVA Sample UID No. : EB4077588

 Age / Gender
 : 2 Y / Female
 Sample Collected On : 06-05-2025 13:54

 Patient ID
 : QLD077454
 Registered On : 06-05-2025 22:38

 Referred By
 : DR AMAZAH
 Reported on : 07-05-2025 01:40

Referral Client : CITICARE MEDICAL CENTER External Patient ID : 46741
Emirates ID / Passport No : V.1

## **Department of HEMATOLOGY**

# COMPREHENSIVE COMPLETE BLOOD COUNT

Investigation  HEMOGLOBIN	Results 13.3	<u>Flag</u>	<u>Units</u> g/dl	Biological Reference Interval	Method photometric
Comments :					
Sample volume very low. Processed under request. Kindly correlate clinically.					
RBC COUNT	4.67		10^6/uL	4-5.2	Electrical Impedance
HEMATOCRIT	38.6		%	33-43	Calculation
MCV	82.6		fL	76-90	Calculation
мсн	28.5		pg	25-31	Calculation
мснс	34.5		g/dl	31-37	Calculation
RDW	11.8		%	9.3-16	Calculation
RDW-SD	34.6	L	fL	38.9-49	Calculation
MPV	8.3	L	fL	8.8-12.5	Calculation
PLATELET COUNT	139	L	10^3/uL	200-450	Electrical Impedance
* PCT	0.1		%	0.01-9.99	Calculation
* PDW	17.2			0.1-99.9	Calculation
* NUCLEATED RBC (NRBC)^	0.4		/100 WBC		Flow Cytometry
* ABSOLUTE NRBC COUNT^	0.02		10^3/uL		Calculation
* EARLY GRANULOCYTE COUNT (EGC)^	0.2		%		Flow Cytometry
* ABSOLUTE EGC^	0		10^3/uL		Calculation
WBC COUNT	4.6	L	10^3/uL	5-15	Electrical Impedance
* Neutrophil	30		%	23-52	VCS-Method
* Lymphocyte	46.3		%	40-69	VCS-Method
* Eosinophil	3.7		%	0-7	VCS-Method
* Monocyte	18.6	н	%	1-9	VCS-Method
* Basophil	1.4		%	0-2	VCS-Method
* ABSOLUTE NEUTROPHIL COUNT	1.4	L	10^3/uL	1.5-7	Calculation
* ABSOLUTE LYMPHOCYTE COUNT	2.1		10^3/uL	1.5-4	Calculation
* ABSOLUTE MONOCYTE COUNT	0.9	н	10^3/uL	0-0.8	Calculation
* ABSOLUTE EOSINOPHIL COUNT	0.2		10^3/uL	0-0.6	Calculation
* ABSOLUTE BASOPHIL COUNT	0.1		10^3/uL	0-0.2	Calculation

- END OF REPORT -

### Note:

"The analytes with asterix (\*) symbol are non-accredited parameters.".
"QLabs compliance with ISO 15189:2022 standards"

Vaishnav Jayamohan Lab Technologist



Dr. Vidhya Mohan Specialist Clinical Pathologist Clinical Pathologist

DHA No. 23553203-004 Page 2 of 3

DHA No. 87250933-002





Patient Name : Ms. KSENIIA KARNAUKHOVA Sample UID No. : EB4077588

 Age / Gender
 : 2 Y / Female
 Sample Collected On : 06-05-2025 13:54

 Patient ID
 : QLD077454
 Registered On : 06-05-2025 22:38

 Referred By
 : DR AMAZAH
 Reported on : 07-05-2025 01:40

Referral Client : CITICARE MEDICAL CENTER External Patient ID : 46741
Emirates ID / Passport No : Print Version : V.1

# **Department of HEMATOLOGY**

## **COMPREHENSIVE COMPLETE BLOOD COUNT**

Investigation Results Flag Units Biological Reference Interval Method

Sample: EDTA Whole Blood

- END OF REPORT -

Note:

"The analytes with asterix (\*) symbol are non-accredited parameters.".
"QLabs compliance with ISO 15189:2022 standards"

Vaishnav Jayamohan Lab Technologist

Dr. Vidhya Mohan Specialist Clinical Pathologist Clinical Pathologist DHA No. 23553203-004

Page 3 of 3

DHA No. 87250933-002