

MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبي للإعتماد طبقا لمواصفات الأيرو ١٥١٨٩ ا Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : ACHINTHA PADARSHANA PERERA File. No. : AAL02-1308763

DOB/Gender : 18-08-1988 (36 Yrs 8 Month 20 Days/Male) Referral Doctor : Dr. Farhan Ilyas Malik

Lab No. : 22251280144 Referral Clinic : Citicare Medical Center LLC

Request Date : **08-05-2025 14:22** Clinic File No : **46771**

Insurance : NATIONAL GENERAL INSURANCE (HEALTHNET)

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CB	C) WITH DIFFERENTI	'AL		
RBC	4.75	10^12/L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	13.9	g/dl	13.0 - 17.0	Photometry-SLS
нст	38.6 ^L	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	81.3 ^L	fl	83.0 - 101.0	Calculation
MCH	29.3	pg	27-32	Calculation
MCHC	36.0 ^H	g/dL	31.5 - 34.5	Calculation
Platelet Count	213	10^3/uL	150 - 400	HF (DCD)
WBC	5.65	10^3/uL	4.00 - 10.00	Flow Cytometry
DIFFERENTIAL COUNT (%)				
Neutrophils	45.6	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	43.5 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	8.1	%	2.0-10.0	Flow Cytometry
Eosinophils	2.1	%	1 - 6	Flow Cytometry
Basophils	0.7	%	<1-2	Flow Cytometry
DIFFERENTIAL COUNT (ABSOL	<u>UTE)</u>			
Neutrophils (Absolute)	2.57	10^3/uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.46	10^3/uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.46	10^3/uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.12	10^3/uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.04	10^3/uL	0.02 - 0.10	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 08-05-2025 01:15:00 Authenticated On: 08-05-2025 15:33:34

Printed On: 08-05-2025 23:52:05

Received On: 08-05-2025 14:23:00 Released On: 08-05-2025 16:15:25 Reprinted On: 09-05-2025 17:58:59

- Comment

Rhea Suberon
Medical Laboratory
Technician
DHA-P-0123639





MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبي للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : ACHINTHA PADARSHANA PERERA File. No. : AAL02-1308763

DOB/Gender

: 18-08-1988 (36 Yrs 8 Month 20 Days/Male)

: Dr. Farhan Ilyas Malik

Lab No.

: 22251280144

Referral Doctor Referral Clinic

: Citicare Medical Center LLC

Request Date : 08-05-2025 14:22

Clinic File No : 46771

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.56	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui **Laboratory Director**

DHA/LS/248469

Authenticated On: 08-05-2025 15:33:34 Printed On: 08-05-2025 23:52:05

Patient Sample Collected On: 08-05-2025 01:15:00

Received On: 08-05-2025 14:23:00 Released On: 08-05-2025 16:15:25 Reprinted On: 09-05-2025 17:58:59

Medical Laboratory Technician

DHA-P-0123639

Rhea Suberon



