

## MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م

Final Report

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : DINUK MADUSANKA HEWA

**AMARAPPULIGE AMARAPPULIGE** 

DOB/Gender : 15-03-1980 (45 Yrs 2 Month 11 Days/Male)

: 22251510126 Lab No.

Request Date : 31-05-2025 13:49:11

: NAS ADMINISTRATION SERVICES LTD Insurance

File. No. : AAL02-377475

Referral Doctor : Dr. Aisha Umer

: Citicare Medical Center LLC Referral Clinic

Clinic File No : 38952

## CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	6.12 <sup>H</sup>	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4 Diabetes: =>6.5	TINIA(turbidimetr ic inhibition immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic

goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23.

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 31-05-2025 12:00:00 Received On: 31-05-2025 17:17:00

Authenticated On: 31-05-2025 20:25:19

Released On: 31-05-2025 20:37:41

Sr. Technician DHA-P-2992011

**Padmapriya** Kumareshan

