

MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ 15189 Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : JUNAID HAMEED ABDUL HAMEED File. No. : DML02-734793 DOB/Gender : 25-12-1992 (32 Yrs 5 Month 29 Days/Male) Referral Doctor : Dr. Aisha Umer

Lab No. : 22251550233 Referral Clinic : Citicare Medical Center LLC

Request Date : 04-06-2025 18:14:04 Clinic File No : 45659

: GIG GULF (AXA INSURANCE) Insurance

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	<5.0	AU/mL	Negative: < 8 Doubtfull: 8 - 12 Positive: > 12	ELISA

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Sample Type: Serum

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 03-05-2025 03:00:00 Received On: 04-06-2025 18:14:00

Authenticated On: 04-06-2025 22:43:35

Released On: 04-06-2025 22:54:53

Lab Incharge DHA-P-2992011



