



Ms. MICHE ALCONIS

PID NO : 43902

Age : 44 Years Sex : Female

DOB: 03-Nov-1980



Reference : Dr. FARHAN

Sample Collected At :

CITICARE MEDICAL CENTER

Unit G03, Al Barsha South Bldg, Al Barsha South
Third, Dubai

VID : 5060105796

Registered on :

19-Jun-2025 05:02 PM

Collected on :

18-Jun-2025 01:43 AM

Reported on :

19-Jun-2025 05:17 PM

<u>Investigation</u>	<u>Observed Value</u>	<u>Flag</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>PROTHROMBIN TIME (PT-INR)</u>				
PROTHROMBIN TIME (PT-INR) (Citratd Plasma, Photo-Optical)	11.3		seconds	9.1 - 12.1
* PROTHROMBIN TIME (CONTROL) (Citratd Plasma, Photo-Optical)	11.2		seconds	9.9 - 12.9
* International Normalized Ratio (INR) (Citratd Plasma, Calculation)	0.9			0.8 - 1.2 Therapeutic range: Refer below*

INTERPRETATION NOTES:

For vitamin K antagonists (eg, warfarin), the prothrombin time (PT/INR) is recommended. Direct oral anticoagulant medications (non-vitamin K) should not be monitored with PT/INR or aPTT because the effect of these tests is not predictable.

***INR THERAPEUTIC RANGE:**

Standard intensity warfarin therapeutic range: 2.0 – 3.0

High intensity warfarin therapeutic range: 2.5 – 3.5

Source: Mayo Clinic Laboratories

----- End Of Report -----

DR. ADLEY MARK FERNANDES
M.D (Pathology)
Pathologist

Vyoma V. Shah

DR. VYOMA SHAH
M.D (Pathology)
Clinical Pathologist

Jaladini Dulanka

JALADINI DULANKA
Laboratory Technologist

This is an Electronically Authenticated Report.

Printed on: 19-Jun-2025 05:19 PM

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189 unless specified by (*).
Test marked with # is performed in an accredited referral laboratory.

