

MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SHYAM SUNDAR DAS BHARAT DAS File. No. : AAL02-1316503 DOB/Gender : 08-01-1973 (52 Yrs 6 Month 4 Days/Male) Referral Doctor : Dr. Aisha Umer

Lab No. : 22251880178 Referral Clinic : Citicare Medical Center LLC

Request Date : 07-07-2025 14:05:11 Clinic File No : 47084

: ALMADALLAH HEALTHCARE MANAGEMENT Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	6.98 ^H	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4 Diabetes: =>6.5	TINIA(turbidimetr ic inhibition immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic

goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23. Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 06-07-2025 18:39:00

Authenticated On: 07-07-2025 15:43:40

Received On: 07-07-2025 14:14:00 Released On: 07-07-2025 16:26:20

MEDSOL-RPT-2.3(1/19)

Sr. Technician DHA-P-2992011

Padmapriya Kumareshan

